

Seattle Green Factor Plant List

Notes:

- All plants on this list are drought-tolerant once they are established unless comments indicate otherwise.
- Seattle Department of Transportations Right-of Way Improvement Manual establishes height limits for non-street-tree plantings in rights-of-way. Maximum plant height within 30 feet of an intersection (as measured from the corner of the curb) is 24 inches. Elsewhere in the right-of-way, plantings are allowed to be 30 inches tall.
- "Bioretention Zone" describes where plants can appropriately be used in bioretention systems such as swales and rain gardens. Zone 1 is the designation for plants that can be used in the flat bottoms of bioretention facilities: 1A refers to species that prefer soil saturation or shallow inundation for long durations, while Zone 1B refers to plants that can alternate between dry and short-term saturated conditions. Zone 2 is the designation for plants best used at the well-drained slopes of bioretention facilities. All other species are appropriate for planting at the tops of bioretention areas.

| GROUNDCOVERS | | | | | | | | | |
|-------------------------------------|---------------------------------|-----------|-------|-----|--------|-----------|---------|-------------------|------------|
| Scientific Name | Common Name | Evergreen | Shade | Sun | Native | up to 24" | 2-3' ht | Bioretention Zone | Notes |
| <i>Arctostaphylos uva-ursi</i> | kinnikinnick | • | | • | • | • | | | |
| <i>Asarum caudatum</i> | wild ginger | • | • | | • | | | | |
| <i>Calluna</i> , in variety | heather | • | | • | | • | | | |
| <i>Ceratostigma plumbaginoides</i> | hardy plumbago | • | • | • | | • | | | |
| <i>Daboecia cantabrica</i> | Irish heath | • | | • | | • | | | |
| <i>Erica</i> , in variety | heath | • | | • | | • | | | |
| <i>Erigeron karvinskianus</i> | Latin American fleabane | • | • | • | | • | | | |
| <i>Euonymus fortunei</i> 'Colorata' | wintercreeper euonymous | • | • | • | | • | | | |
| <i>Festuca glauca</i> | blue fescue | • | | • | | • | | | |
| <i>Fragaria chiloensis</i> | beach strawberry | • | • | • | • | • | | | Aggressive |
| <i>Fragaria</i> x 'Lipstick' | pink-flowered barren strawberry | • | • | • | | • | | | Aggressive |
| <i>Genista lydia</i> | hardy dwarf broom | • | | • | | • | | | |
| <i>Genista pilosa</i> | silkyleaf broom | • | | • | | • | | | |
| <i>Juniperus conferta</i> | shore juniper | • | | • | | • | | | |
| <i>Microbiota decussata</i> | Russian arborvitae | • | | • | | • | | 2 | |
| <i>Pachysandra terminalis</i> | Japanese spurge | • | • | | | • | | | |
| <i>Pachysandra procumbens</i> | Allegheny pachysandra | • | • | | | • | | | |
| <i>Paxistima canbyi</i> | Canby paxistima | • | • | • | | • | | | |
| <i>Rubus pentalobus</i> | creeping bramble | • | • | • | | • | | | |
| <i>Vinca minor</i> | periwinkle | • | • | | | • | | | |

| PERENNIALS / FERNS / GRASSES | | | | | | | | | |
|---------------------------------------|-------------------|-----------|-------|-----|--------|-----------|---------|-------------------|-------|
| Scientific Name | Common Name | Evergreen | Shade | Sun | Native | up to 24" | 2-3' ht | Bioretention Zone | Notes |
| <i>Achillea millefolium</i> | yarrow | • | | • | | • | | | |
| <i>Allium</i> , in variety | ornamental allium | | | • | | • | | | |
| <i>Aruncus sylvestre</i> 'Misty Lace' | dwarf goatsbeard | | • | • | • | | | 1B | |
| <i>Aster</i> , in variety | aster | | | • | | • | • | | |
| <i>Athyrium filix-femina</i> | lady fern | | • | | • | | • | | |

| | | | | | | | | | |
|--|------------------------------|------|---|---|---|---|---|-----------|----------------------------------|
| <i>Bergenia</i> , in variety | bergenia | • | | • | | • | | | |
| <i>Blechnum spicant</i> | deer fern | • | • | | • | • | | | |
| <i>Calluna vulgaris</i> | heather | • | | • | | • | | | |
| <i>Carex amplifolia</i> | ample-leaved sedge | | • | | • | | • | 1A, 1B | Not drought-tolerant |
| <i>Carex dolichostachya</i> | gold fountain sedge | • | | • | | | • | 1A | Not drought-tolerant |
| <i>Carex morrowii</i> | Morrow's sedge | • | | • | | • | | | |
| <i>Carex obnupta</i> | slough sedge | • | • | | • | | • | 1A, 1B | Not drought-tolerant |
| <i>Carex pachystachya</i> | thick-headed sedge | • | | • | • | • | | 1B | |
| <i>Carex stipata</i> | beaked sedge | | • | • | • | | • | 1A | Not drought-tolerant |
| <i>Carex testacea</i> | orange sedge | • | | • | | • | | 1A, 1B, 2 | |
| <i>Cineraria maritima</i> | dusty miller | • | | • | | • | | | |
| <i>Deschampsia cespitosa</i> | tufted hairgrass | | • | • | • | | • | 1A, 1B | Not drought-tolerant |
| <i>Dierama pulcherrimum</i> | angel's fishing rods | • | | • | | | • | | |
| <i>Epimedium</i> , in variety | bishop's hat | • | • | • | | • | | | |
| <i>Gaillardia</i> , in variety | blanket flower | | | • | | • | | | |
| <i>Geranium macrorrhizum</i> | bigroot cranesbill | • | | • | | • | | 2 | |
| <i>Geranium x cantabrigiense</i> 'Biokovo' | Biokovo geranium | • | • | • | | • | | | |
| <i>Hemerocallis</i> , in variety | daylily | | | • | | | • | 2 | |
| <i>Heuchera</i> , in variety | heuchera, coral bells | • | | • | | • | | 2 | |
| <i>Iberis sempervirens</i> | evergreen candytuft | • | | • | | • | | | |
| <i>Iris</i> "Pacific Coast Hybrids" | Pacific Coast iris | • | • | • | • | • | | | |
| <i>Juncus balticus</i> | Baltic rush | • | | • | • | | | 1A, 1B | Not drought-tolerant |
| <i>Juncus effusus</i> | soft rush | • | • | • | • | | | 1A, 1B, 2 | Aggressive, not drought-tolerant |
| <i>Juncus ensifolius</i> | daggerleaf rush | | • | • | • | | | 1A | Not drought-tolerant |
| <i>Juncus patens</i> 'Elk blue' | California gray rush | • | • | • | | | • | 1A, 1B | Not drought-tolerant |
| <i>Lavandula angustifolia</i> | lavender | semi | | • | | | • | | |
| <i>Liatris spicata</i> | gay feather | | | • | | | | | |
| <i>Liriope</i> , in variety | lilyturf | • | • | | | • | | | |
| <i>Lupinus</i> , in variety | lupine | | | • | • | • | | | |
| <i>Monarda didyma</i> 'Petite Wonder' | bee balm | • | | • | | • | | | |
| <i>Muscari botryoides</i> | grape hyacinth | | • | • | | • | | | |
| <i>Narcissus</i> , in variety | daffodil | | | • | | • | | | |
| <i>Nepeta</i> , in variety | catmint | | • | • | | | • | 2 | |
| <i>Origanum</i> , in variety | marjoram, ornamental oregano | • | | • | | • | | | |
| <i>Penstemon</i> , in variety | penstemon | | | • | | • | | | |
| <i>Petasites frigidus</i> | coltsfoot | | • | | • | • | | 1A, 1B | Not drought-tolerant |
| <i>Phlox subulata</i> | phlox | | | • | | • | | | |
| <i>Polystichum munitum</i> | western swordfern | • | • | | • | | • | 2 | |
| <i>Rudbeckia</i> , in variety | coneflower | | | • | | • | | | |
| <i>Sagittaria latifolia</i> | arrowhead | | • | | • | | | | |
| <i>Salvia</i> , in variety | sage | • | | • | | • | | | |
| <i>Scirpus acutus</i> | hardstem bulrush | | | • | • | | | 1A | Not drought-tolerant |

| | | | | | | | | | |
|----------------------------|-----------------------|---|---|---|---|---|---|--------|----------------------|
| <i>Scirpus atrocinctus</i> | wool-grass | • | | • | • | | • | 1A, 1B | Not drought-tolerant |
| <i>Scirpus microcarpus</i> | small-fruited bulrush | | • | • | • | | | 1A | Not drought-tolerant |
| <i>Thymus</i> , in variety | thyme | • | • | • | | | | | |
| <i>Tolmiea menziesii</i> | youth-on-age | • | • | | • | | | | |
| <i>Tulipa</i> , in variety | tulip | | | • | | • | | | |
| <i>Yucca filamentosa</i> | yucca | • | | • | | | • | | |

LOW SHRUBS (pruning may be required to maintain 24" or 30" maximum height in ROW)

| Scientific Name | Common Name | Evergreen | Shade | Sun | Native | up to 24" | 2-3' ht | Bioretention Zone | Notes |
|--|-----------------------------|-----------|-------|-----|--------|-----------|---------|-------------------|-------|
| <i>Abelia x grandiflora</i> 'Rose Creek' | abelia | • | • | • | | | • | 2 | |
| <i>Arctostaphylos densiflora</i> | Vine Hill manzanita | • | | • | | | • | 2 | |
| <i>Arctostaphylos pumila</i> | manzanita | • | | • | | | • | | |
| <i>Berberis buxifolia</i> 'Pygmaea' or 'Nana' | dwarf boxleaf barberry | • | | • | | | • | | |
| <i>Berberis candidula</i> | paleleaf barberry | | • | • | | | • | | |
| <i>Berberis darwinii</i> 'Compacta' | dwarf Darwin barberry | • | | • | | | • | | |
| <i>Berberis stenophylla</i> 'Corallina Compacta' | dwarf coral hedge barberry | • | | • | | | • | | |
| <i>Berberis thunbergii</i> | Japanese barberry | • | | • | | | • | | |
| <i>Berberis verruculosa</i> | warty barberry | • | • | | | | • | 2 | |
| <i>Buxus microphylla</i> 'Compacta' | little-leaf boxwood | | • | • | | | • | | |
| <i>Buxus sempervirens</i> 'Suffruticosa' | common edging boxwood | | • | • | | | • | 2 | |
| <i>Caryopteris</i> , in variety | caryopteris | | | • | | | • | | |
| <i>Cassinia leptophylla</i> | cassinia | • | | • | | | • | 2 | |
| <i>Ceanothus gloriosus</i> | Point Reyes ceanothus | • | | • | | • | | 2 | |
| <i>Chamaecyparis obtusa</i> 'Nana' | dwarf hinoki cypress | • | • | • | | | • | | |
| <i>Cistus</i> , in variety | rockrose | • | | • | | | • | 2 | |
| <i>Cornus sericea</i> 'Kelseyii' | Kelsey redstem dogwood | | • | • | | | • | 1B, 2 | |
| <i>Cotoneaster dammeri</i> | bearberry cotoneaster | • | | • | | • | | | |
| <i>Daboecia cantabrica</i> | Irish heath | • | | • | | • | | | |
| <i>Escallonia</i> 'Compacta' | compact escallonia | • | • | • | | | • | 2 | |
| <i>Euonymus japonicus</i> 'Microphyllus' | evergreen euonymous | • | • | • | | | • | 2 | |
| <i>Euryops</i> , in variety | euryops | • | | • | | • | • | 2 | |
| <i>Gaultheria shallon</i> | salal | • | • | | • | | • | 2 | |
| <i>Halimocistus x sahuicii</i> | halimocistus | • | | • | | • | | | |
| <i>Halimocistus x wintonensis</i> | halimocistus | • | | • | | • | | 2 | |
| <i>Hebe</i> , in variety | hebe | • | | • | | • | • | 2 | |
| <i>Hydrangea quercifolia</i> 'Pee Wee' | dwarf oak-leaf hydrangea | | • | • | | | • | 1B, 2 | |
| <i>Ilex crenata</i> 'Compacta' | Japanese holly | • | • | • | | | • | 2 | |
| <i>Ilex crenata</i> 'Helleri' | Heller Japanese holly | • | • | • | | | • | | |
| <i>Lavandula</i> , in variety | lavender | • | | • | | | • | 2 | |
| <i>Mahonia nervosa</i> | low Oregon holly-grape | • | • | | • | | • | 2 | |
| <i>Mahonia repens</i> | creeping Oregon holly-grape | • | • | • | • | | • | | |
| <i>Nandina domestica</i> 'Compacta' or 'Harbor Dwarf' or 'Gulf Stream' | dwarf heavenly-bamboo | • | • | • | | | • | 2 | |

| | | | | | | | | |
|---|-------------------------------|---|---|---|---|---|-----------|--|
| <i>Olea europaea</i> 'Little Ollie' ['Montra'] | dwarf olive | • | | • | | • | 2 | |
| <i>Phlomis purpurea</i> | phlomis | • | | • | | • | 2 | |
| <i>Phormium tenax</i> 'Tiny Tim' or 'Jack Sprat' | compact New Zealand flax | • | | • | | • | | |
| <i>Pieris japonica</i> 'Cavatine' | 'Cavatine' andromeda | • | | • | | • | | |
| <i>Pittosporum tobira</i> 'Wheeler's Dwarf' and 'Shima' | dwarf Japanese mock-orange | • | • | • | | • | 2 | |
| <i>Potentilla fruticosa</i> | shrubby cinquefoil | | | • | | • | 2 | |
| <i>Prunus laurocerasus</i> 'Mount Vernon' | Mount Vernon cherry laurel | • | • | | | • | | |
| <i>Rhododendron</i> 'PJM Princess Susan' (compact/dwarf form) | compact PJM rhododendron | • | | • | | • | 2 | |
| <i>Rhododendron</i> , in variety | rhododendron and azalea | • | • | • | | • | 2 | |
| <i>Rhus aromatica</i> 'Gro-Low' | dwarf lemonade sumac | | • | • | | • | 2 | |
| <i>Rosa nutkana</i> | Nootka Rose | | | • | • | | 1B, 2 | |
| <i>Rosa rugosa</i> | Rugosa Rose | | | • | | | 1B, 2 | |
| <i>Rosmarinus officinalis</i> 'Collingwood Ingram' | dwarf rosemary | • | | • | | • | 2 | |
| <i>Rosmarinus officinalis</i> "Majorca Pink" | Rosemary | • | | • | | | 2 | |
| <i>Ruscus aculeatus</i> and <i>R. hypoglossum</i> | butchers broom | • | • | | | • | | |
| <i>Senecio greyii</i> | senecio | • | | • | | • | 2 | |
| <i>Sarcococca hookeriana</i> var. <i>humilis</i> | sweet box | • | • | | | • | | |
| <i>Spiraea betulifolia</i> | shiny-leaf spirea | | • | • | • | • | 2 | |
| <i>Spiraea douglasii</i> | Steeplebush | | • | • | • | • | 1A,1B, 2 | |
| <i>Spiraea japonica</i> 'Little Princess' | dwarf Japanese spirea | | | • | | • | 2 | |
| <i>Spiraea x bumalda</i> 'Magic carpet' | bumalda spirea | | • | • | | • | 1B | |
| <i>Symphoricarpos albus</i> | snowberry | | • | • | • | • | 1A, 1B, 2 | |
| <i>Teucrium chamaedrys</i> | wall germander | • | | • | | • | | |
| <i>Viburnum acerifolium</i> 'Nana' | dwarf cranberry bush viburnum | | • | • | | • | 1B | |
| <i>Viburnum davidii</i> | David viburnum | • | • | • | | • | 2 | |
| <i>Viburnum trilobum</i> 'Compactum' | dwarf cranberry bush viburnum | | • | • | | • | 1B, 2 | |

| TALL SHRUBS (subject to site-specific approval if used in ROW) | | | | | | | | | |
|---|---------------------------|-----------|-------|-----|--------|-----------|---------|-------------------|-------|
| Scientific Name | Common Name | Evergreen | Shade | Sun | Native | up to 24" | 2-3' ht | Bioretention Zone | Notes |
| <i>Arbutus unedo</i> 'Compacta' | compact strawberry tree | • | • | • | | | | 2 | |
| <i>Camelia sasanqua</i> 'Yuletide' | yuletide camelia | • | • | • | | | | | |
| <i>Ceanothus Julia Phelps</i> | Small leaf Mountain lilac | • | | • | | | | 2 | |
| <i>Chamaecyparis obtusa</i> 'nana gracilis' | dwarf hinoki cypress | • | | • | | | | 2 | |
| <i>Choisya ternata</i> | Mexican mock orange | • | • | • | | | | | |
| <i>Cornus stolonifera</i> | Red -osier Dogwood | | • | • | • | | | 1A, 1B, 2 | |
| <i>Cornus sericea</i> 'Isanti' | compact redbud dogwood | • | • | • | | | | 1B, 2 | |
| <i>Hydrangea quercifolia</i> | oak-leaf hydrangea | | • | • | | | | 2 | |
| <i>Holodiscus discolor</i> | Ocean Spray | | • | • | • | | | 1A, 1B, 2 | |
| <i>Mahonia aquifolium</i> | Tall Oregon Grape | • | • | • | • | | | 1A, 1B, 2 | |

| | | | | | | | | | |
|--|-----------------------|---|---|---|---|--|---|----------|----------------------|
| <i>Mahonia x media</i> 'Arthur Menzies' | hybrid mahonia | • | • | • | | | • | 2 | |
| <i>Myrica californica</i> | California wax-myrtle | • | | • | • | | | 2 | |
| <i>Philadelphus lewisii</i> | Mock-orange | | | • | • | | | 1B,1A, 2 | |
| <i>Phormium tenax</i> | New Zealand flax | | • | • | | | | 2 | |
| <i>Physocarpus captatus</i> | Pacific Ninebark | | • | • | • | | | 1B,1A, 2 | |
| <i>Physocarpus opulifolius</i> 'Diablo' | Diablo Ninebark | | • | • | | | | 1B,1A, 2 | |
| <i>Ribes sanguineum</i> and cultivated varieties | red-flowering currant | | • | • | • | | | 2 | |
| <i>Salix hookeriana</i> | Hooker's Willow | | • | • | • | | | 1A,1B, 2 | Not drought-tolerant |
| <i>Taxus baccata</i> 'Fastigiata' | Irish yew | • | • | • | | | | | |
| <i>Vaccinium ovatum</i> | evergreen huckleberry | • | • | • | • | | | 2 | |

BIORETENTION TREES (appropriate for zones 1A or 1B), subject to site-specific approval in ROW. See Green Factor tree list for non-bioretenion options.

| Scientific Name | Common Name | Evergreen | Shade | Sun | Native | up to 24" | 2-3' ht | Bioretention Zone | Notes |
|---------------------------------------|---------------------------|-----------|-------|-----|--------|-----------|---------|-------------------|-------|
| <i>Abies grandis</i> | Grand Fir | • | | • | • | | | 1B, 2 | |
| <i>Acer circinatum</i> | Vine Maple | | • | • | • | | | 1A,1B, 2 | |
| <i>Acer glabrum</i> | Rocky Mountain Maple | | • | • | • | | | 1A,1B, 2 | |
| <i>Acer saccharum</i> 'Commemoration' | Commemoration Sugar Maple | | • | • | | | | 1A,1B, 2 | |
| <i>Alnus crispa</i> | Sitka Alder | | • | • | • | | | 1A,1B, 2 | |
| <i>Alnus rubra</i> | Red Alder | | • | • | • | | | 1A,1B, 2 | |
| <i>Betula papyrifera</i> | White Birch | | • | • | • | | | 1A,1B, 2 | |
| <i>Chamaecyparis nootkatensis</i> | Alaskan Cedar | • | • | • | • | | | 1A,1B, 2 | |
| <i>Corylus cornuta</i> | Beaked Hazelnut | | • | • | • | | | 1A,1B, 2 | |
| <i>Fraxinus latifolia</i> | Oregon Ash | | | • | • | | | 1A,1B, 2 | |
| <i>Liquidambar styraciflua</i> | Sweet Gum | | | • | | | | 1A,1B, 2 | |
| <i>Populus tremuloides</i> | Quaking Aspen | | | • | • | | | 1A,1B, 2 | |
| <i>Pseudotsuga menziesii</i> | Douglas Fir | • | • | • | • | | | 1B, 2 | |
| <i>Rhamnus purshiana</i> | Cascara | | • | • | • | | | 1A,1B, 2 | |
| <i>Salix lucida</i> | Pacific Willow | | | • | • | | | 1A,1B, 2 | |
| <i>Salix scouleriana</i> | Scouler's Willow | | | • | • | | | 1A,1B, 2 | |
| <i>Taxodium distichum</i> | Bald Cypress | | | • | | | | 1A,1B, 2 | |
| <i>Thuja plicatum</i> | Western Red Cedar | • | • | • | • | | | 1A,1B, 2 | |
| <i>Tsuga heterophylla</i> | Western Hemlock | • | • | • | • | | | 1A,1B, 2 | |

| VINES | | | | | | | | | |
|--|---|-----------|-------|-----|--------|-----------|---------|-------------------|------------|
| Scientific Name | Common Name | Evergreen | Shade | Sun | Native | up to 24" | 2-3' ht | Bioretention Zone | Notes |
| <i>Actinidia kolomikta</i> | Kolomikta kiwi | | • | • | | | | | |
| <i>Akebia quinata</i> | 5-leaf akebia | • | • | • | | | | | Aggressive |
| <i>Aristolochia macrophylla</i> | Dutchman's pipe | | • | • | | | | | |
| <i>Clematis armandii</i> | evergreen clematis | • | | • | | | | | |
| <i>Clematis x cartmanii</i> "Blaaval" | Avalanche evergreen clematis | • | | • | | | | | |
| <i>Clematis montana</i> | anemone clematis | | | • | | | | | |
| <i>Euonymus fortunei</i> 'Kewensis' or 'Radicans' | climbing wintercreeper | • | • | • | | | | | |
| <i>Hydrangea anomala</i> | climbing hydrangea | | | • | | | | | |
| <i>Jasminum grandiflorum</i> | climbing jasmine | • | • | | | | | | |
| <i>Lonicera ciliosa</i> | orange honeysuckle | | • | | • | | | | |
| <i>Lonicera sempervirens</i> or <i>L. heckrottii</i> | trumpet honeysuckle / coral honeysuckle | | | • | | | | | |
| <i>Passiflora</i> , in variety | passion vine | • | | • | | | | | Aggressive |
| <i>Parthenocissus quinquefolia</i> | Virginia creeper | | | • | | | | | |
| <i>Parthenocissus tricuspidata</i> | Boston ivy | | • | | | | | | |
| <i>Trachelospermum jasminoides</i> | star jasmine | • | • | • | | | | | |
| <i>Wisteria</i> , in variety | wisteria | | | • | | | | | |

| GREEN ROOF PLANTS | | | | | | | | | |
|--|------------------------------|-----------|-------|-----|--------|-----------|---------|-------------------|-------|
| Scientific Name | Common Name | Evergreen | Shade | Sun | Native | up to 24" | 2-3' ht | Bioretention Zone | Notes |
| <i>Allium schoenoprasum</i> | chives | | | • | | • | | | |
| <i>Allium senescens</i> | lavender-flowered onion | | • | • | | • | | | |
| <i>Delosperma nubigenum</i> | yellow ice plant | • | • | • | | • | | | |
| <i>Festuca idahoensis</i> | Idaho fescue | • | | • | • | • | | | |
| <i>Fragaria chiloensis</i> | barren strawberry | • | • | • | • | • | | | |
| <i>Hebe decumbens</i> | ground hebe | • | • | • | | • | | | |
| <i>Helianthemum nummularium</i> , in variety | sunrose | • | | • | | • | | | |
| <i>Heuchera micrantha</i> | coral bells/alumroot | • | • | | • | • | | | |
| <i>Iberis sempervirens</i> | evergreen candytuft | • | • | • | | • | | | |
| <i>Montia parviflora</i> | small-flowered spring-beauty | • | • | | • | • | | | |
| <i>Rosmarinus officinalis</i> 'Prostratus' | prostrate rosemary | • | | • | | • | | | |
| <i>Sedum dasyphyllum</i> | thick-leaf stonecrop | • | | • | • | • | | | |
| <i>Sedum divergens</i> | Pacific stonecrop | • | | • | • | • | | | |
| <i>Sedum kamtschaticum</i> | Russian stonecrop | • | | • | | • | | | |
| <i>Sedum laxum</i> | roseflower stonecrop | • | | • | • | • | | | |
| <i>Sedum oreganum</i> | Oregon stonecrop | • | | • | • | • | | | |
| <i>Sedum spathulifolium</i> | broadleaf stonecrop | • | | • | • | • | | | |
| <i>Sedum stefco</i> | stonecrop | • | | • | | • | | | |
| <i>Sempervivum arachnoideum</i> | hens and chicks | • | | • | | • | | | |
| <i>Sisyrinchium bellum</i> | blue-eyed grass | | | • | • | • | | | |
| <i>Talinum calycinum</i> | fame flower | • | | • | | • | | | |
| <i>Trifolium repens</i> | New Zealand White Clover | semi | | • | | | | | |

| SPECIES NOT PERMITTED IN ROW OR NEW LANDSCAPE PLANS | |
|--|------------------|
| <i>Scientific Name</i> | Common Name |
| <i>Hedera helix</i> --all varieties | English ivy |
| <i>Buddleia</i> | butterfly bush |
| <i>Clematis vitalba</i> | old man's beard |
| <i>Ilex aquifolium</i> | English holly |
| <i>Prunus laurocerasus</i> | English Laurel |
| <i>Polygonum aubertii</i> | silver lace vine |
| Any plant species classified by King County as a Class A, B, or C Noxious Weed | |